

SIEMENS



Simple to use, easy to install. The low maintenance solution.

Cost-effective, non-contacting level measurement



The Siemens ultrasonic instrumentation family has a long and successful history. We've always been a hard-working group, and we aim to please.

Reliable? You can count on it.

Intelligent and durable? We have both brains and brawn.

As a group, we've set the industry standard for accuracy and performance with our innovative approach to level measurement.

Even now, with solutions for over a million applications, we're still growing! Introducing the newest member of our team: the SITRANS LU150.

[siemens.com/sitranslu150](https://www.siemens.com/sitranslu150)

More than four decades.

That's how long Siemens has been your partner in ultrasonic level measurement. In that time, we've installed more than a million ultrasonic products around the world, from water/wastewater monitoring and pumping, inventory management, truck load-outs, and everything in between. It's clear that, when it comes to experience, we have the kind that matters. Now, to bolster the Siemens ultrasonic portfolio even more, we introduce the SITRANS LU150, a cost-effective, easy-to-configure, low maintenance solution.

SITRANS LU150 is a short-range, non-contacting ultrasonic level measurement transmitter that combines both the sensor and electronics into a one-piece, sealed unit.

Designed primarily for liquid applications in the environmental, water/wastewater, and energy management industries, the device is ideal for non-contacting continuous level measurement of liquids and slurries in open or closed vessels.

IP68 rated, the SITRANS LU150 has a rugged, fully encapsulated PVDF sensor that is resistant to corrosion, chemicals, and extreme shock.

With only two wires, installation of the unit is straightforward, and its two-button interface makes it both simple to configure and easy to use.

There are many mounting possibilities for the SITRANS LU150, as there are four process connections to choose from, including the 4" Tri-clamp that allows the unit to be removed easily if necessary.

The reliability of the level readings are based on Sonic Intelligence echo processing algorithms that Siemens has been refining for decades. These algorithms use a filter to differentiate the true material level echoes from the false ones that can result from acoustic or electrical noises, as well as from agitator blades in motion. It's effective, accurate, and unique, and it's exclusively Siemens.

For enhanced functionality, such as remote displays, mounting options, and monitoring solutions, Siemens offers supplementary components and accessories to complete your level measurement package.

SITRANS LU150 Benefits

- Easy to install, program, and maintain
- Accurate and reliable
- Tri-clamp process connection available
- Sonic Intelligence echo processing delivers accurate measurement you can depend on
- Integral temperature compensation
- IP68 rated for submersible applications





SITRANS LU150	
Order No.	7ML5201
	The SITRANS LU150 is a short-range integrated ultrasonic level transmitter – ideal for liquids and slurries in your open or closed vessels.
Range	0.25 to 5 m (0.8 to 16 ft)
Accuracy	0.25% of full scale
Key features	<ul style="list-style-type: none"> • Sonic Intelligence provides highly reliable echo processing • Easy to install and maintain • Easy two-button programming • PVDF transducer • -30 to 60 °C (-22 to 140 °F) • -20 to 60 °C (-4 to 140 °F) if mounted in metal threads • IP68 rated • 12° beam angle
Output	4 to 20 mA output
Input	20 to 30 V DC, 2 wire
Cable entry connections	M20x1.5 or 1/2" NPT
Process connections	<ul style="list-style-type: none"> • 2" NPT • 2" BSP • 2" G • 4" Tri-clamp
Approvals	CE, cCSAus

SITRANS LU150 Key Applications

- Chemical storage vessels
- Filter beds
- Mud pits
- Liquid storage vessels
- Food applications



Find out more:

siemens.com/sitranslu150

Find out more information about how the SITRANS LU150 can cost-effectively solve your application needs.

Scan for more information



Subject to change without prior notice
PDPA-B10030-00-7600
© Siemens AG 2015

The information provided in this brochure contains merely general descriptions or characteristics of performance which in case of actual use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract.

All product designations may be trademarks or product names of Siemens AG or supplier companies whose use by third parties for their own purposes could violate the rights of the owners.

More information:
www.siemens.com/sensors

Follow us on:
twitter.com/siemensensors
youtube.com/thinksiemens



Siemens AG
Process Industries and Drives
Siemensallee 84
76181 Karlsruhe
Germany